

OSRE

SPECIALIST RESCUE EQUIPMENT

BY NORTHERN DIVER



REACH POLE MANUAL

NORTHERN DIVER REACH POLE MANUAL

Thank you for purchasing this Northern Diver Reach Pole. To help ensure your future safety, do not use this product before reading this manual. It is important to fully understand its proper handling for safe usage.

This information is supplied as a guideline for equipment use and care. It is not a substitute for proper qualified instruction and is not supplied as such. Don't hesitate to contact us if you are unsure of anything.

Copyright notice: This owners manual is copyrighted, all rights reserved. It may not, in whole or in part, be copied, photocopied, reproduced, translated, or reduced to any electronic medium or machine-readable form without prior consent in writing from Northern Diver (International) Ltd.

© 2016 Northern Diver (International) Ltd.

For the latest information about all Northern Diver Specialist Rescue Equipment please visit **www.ndiver-rescue.com**

ABOUT THE REACH POLES

A rapid, agile method to reach a conscious in-water casualty. The poles can equally be used to retrieve items from the water. Pole sections cannot be fully separated, each section has a clamp that unlocks a section and enables easy adjustment for fast extraction and retraction. On the tip of the pole is an aluminium bayonet fitting for use with the poles quick-release accessories.



Pole sections cannot be fully separated, each section has a clamp that unlocks a section and enables easy adjustment for fast extraction and retraction.

REACH POLE LENGTHS




Extended: 4.5m (14'8), retracted: 1.78m (5'8), sections x3, weight 1.1kg (2.4lb)



Extended: 6m (19'7), retracted: 1.80m (5'9), sections x4, weight 2.2kg (4.9lb)



Extended: 9m (29'5), retracted: 1.86m (6'1), sections x6, weight 2.8kg (6.2lb)



Extended: 15m (49'2), retracted: 1.88m (6'2), sections x10, weight 4.1kg (9lb)



36L STORAGE BAG

CODE: REACH POLE-BAG

Dims: 44*38*22cm (17.3*14.9*8.7")

Weight: 0.2kg (0.44lb)

Included with 6, 9 & 15m poles

REACH POLE ACCESSORIES



GRAPPLE HOOK

CODE: REACH-POLE-GRAPPLE
Dims: 36*25*25cm
(14.2*9.8*9.8")
Weight: 0.95kg (2.09lb)
Included with
6, 9 & 15m reach poles



SHEPHERDS CROOK

CODE: REACH-POLE-CROOK
Dims: 33*17*3cm (13*6.7*1.2")
Weight: 0.38kg (0.84lb)
Included with
4.5, 6, 9 & 15m reach poles



NARROW HOOK

CODE: REACH-POLE-NARROW-HOOK
Dims: 38*19*3cm (14.9*7.5*1.2")
Weight: 0.3kg (0.66lbs)
NOT included with a standard
reach pole. Buy separate



WATER RESCUE JAWS

CODE: REACH-POLE-CLAW
Closed: 38*70*9cm
(14.9*27.6*3.5")
Open: 109*70*9cm
(42.9*27.6*3.5")
Weight: 1.1kg (2.43lb)
NOT included with a reach pole



BODY HOOK

CODE: REACH-POLE-BODY-HOOK
Length: 48cm (18.9")
Widest point: 15cm (5.9")
Opening: 50cm (19.7") – wide
for hooking around target
NOT included with a reach pole



GO PRO ATTACHMENT

CODE: REACH-POLE-GOPRO-FITTING
Dims: 10.5*5*3.5cm (4.1*1.9*1.4")
Weight: 0.09kg (0.19lb)
Camera not included
NOT included with a reach pole



NET ATTACHMENT

CODE: REACH-POLE-GOPRO-FITTING
Dims: 6*3*3cm (2.4*1.2*1.2")
Weight: 0.1kg (0.22lb)
NOT included with a reach pole



INFLATABLE BUOY

CODE: MOD-ITEM-95-FLOAT
Dims: 24.5*21*78cm
(9.6*8.3*30.7")
Weight: 0.7kg (1.54lb)
Included with 6, 9 & 15m poles



EXTENSION ATTACHMENT

CODE: REACH-POLE-EXTENSION
Dims: 41*3*3cm (16.1*1.9*1.9")
Weight: 0.18kg (0.39lb)
Included with 6, 9 & 15m poles

SPECIFICATION

Pole material: carbon fibre

Pole bayonet fitting and buoy pole material: Aluminium

Clamps material: reinforced resin

Attachments material:

316 stainless steel for the shepherds crook, grapple hook and narrow hook

Aluminium for the body hook and rescue jaws

Rubber base

Supplied with quick-release buoy attachment (buoy sold separately), grapple hook, shepherd's crook and all accessories are user changeable

IMPORTANT

TO EXTEND A REACH POLE SECTION

Lift the rubber clamp, pull the pole section until it stops, retract the section by five inches and re-clamp. Store the reach pole with each section retracted and clamped.

TO FIT ATTACHMENTS

Squeeze in press studs on the pole's bayonet fitting, fit attachment clamp over top and lock in place through the holes in the attachment clamp.

IF USING THE NORTHERN DIVER BUOY

Fit the buoy's pole into the buoy first, and inflate to no more than 10 psi.

Fit the buoy and pole to the reach pole bayonet fitting before fitting an attachment.

GENERAL CARE

Please periodically tighten up the nut and bolt on each clamp.

If the pole becomes soiled, wash with clean water and dry with a cloth or similar.



Find Us Online.

View our extensive product range

www.ndiver-rescue.com



www.ndiver-rescue.com

Tel: +44 (0) 1257 25 44 44

Email: info@ndiver.com

East Quarry, Appley Lane North, Appley Bridge, Wigan, Lancashire, WN6 9AE, UK