

# Rugged & robust protective cases in a range of sizes to suit any scenario



**R.A.I.D Cases** provide the ultimate protection for transporting equipment that includes weapons, ammunitions, equipments for communication, EOD medical, laptops, rifles, shot guns, cameras, radios, rescue kit, specialist military equipment and more.

Injection moulded cases that can withstand the strains of floodwaters and can even be submerged<sup>\*</sup> and still keep all valuable devices safe and dry. They protect your delicate equipment from handling abuse and the most extreme and hazardous conditions.

Shock proof, dust proof, waterproof, un-crushable, anti-chemical corrosion, high temperature resistance. High performance against breakage and defects from outdoor military use.

\*IP67 - protected from dust and capable of withstanding water immersion between 15 cm and 1 meter for 30 minutes.

These hard cases are manufactured from a durable, strong TSU-1 resin material, this combined with their waterproof IP67 rating and shockproof performance mean your valuable and vulnerable equipment is fully protected in the field. All styles have a temperature range of -40~90 degrees celsius unless otherwise stated. Available in all shapes and sizes with easily-customised cubed, pick and pluck foam if requested. Foam not only helps to guard against knocks but also stops your gear from being scratched or damaged while in storage.



## **1L CASE**

External dims:(L\*W\*D):190\*170\*60mm (7.5\*6.9\*2.4") Internal dims: (L\*W\*D):170\*134\*44mm (6.7\*5.3\*1.7") Lid depth: 10mm (0.39") Bottom depth: 34mm (1.34") Material: TSU-1 Resin Weight: 0.42kg (0.93lbs) Waterproof: IP 67 Air valve: automatic Wheels and retractable handle: no Other: for protecting hard disk and small electronics



## 2L CASE

External dims:(L\*W\*D): 219\*185\*104mm (8.6\*7.3\*4") Internal dims: (L\*W\*D):193\*122\*85mm (7.6\*4.8\*3.4") Lid depth: 20mm (0.79") Bottom depth: 65mm (2.56") Material: TSU-1 Resin Weight: 0.87kg (1.92lbs) Waterproof: IP 67 Air valve: manual Wheels and retractable handle: no Other: easy carrying, can be used for small electronics



#### **3L CASE**

External dims:(L\*W\*D): 219\*185\*154mm (8.6\*7.3\*6.1") Internal dims: (L\*W\*D): 193\*122\*135mm (7.6\*4.8\*5.3") Lid depth: 20mm (0.79") Bottom depth: 115mm (4.53") Material: TSU-1 Resin Weight: 1.1kg (2.42lbs) Waterproof: IP 67 Air valve: manual Wheels and retractable handle: No Other: for photography, outdoor, military, defense, etc.



## 3.5L CASE

External dims:(L\*W\*D): 250\*218\*113mm (9.8\*8.6\*4.4") Internal dims: (L\*W\*D): 220\*161\*93mm (8.7\*6.3\*3.7") Lid depth: 19mm (0.75") Bottom depth: 74mm (0.90") Material: TSU-1 Resin Weight: 1.0kg (2.2lbs) Waterproof: IP 67 Air valve: manual Wheels and retractable handle: No Other: a compact packaging solution for valuables



## **5L CASE**

External dims:(L\*W\*D): 250\*218\*166mm(9.8\*8.6\*6.5") Internal dims: (L\*W\*D): 225\*162\*145mm (8.8\*6.4\*5.7") Lid depth: 20mm (0.79") Bottom depth: 125mm (4.92") Material: TSU-1 Resin Weight: 1.3kg (2.87lbs) Waterproof: IP 67 Air valve: manual Wheels and retractable handle: No Other: protection for sensitive equipment



#### 6.5L CASE

External dims:(L\*W\*D): 270\*231\*180mm (10.6\*9.1\*7.1") Internal dims: (L\*W\*D): 244\*185\*153mm (9.6\*7.3\*6") Lid depth: 28mm (1.1") Bottom depth: 125mm (4.92") Material: TSU-1 Resin Weight: 1.3kg (2.86lbs) Waterproof: IP 67 Air valve: manual Wheels and retractable handle: No Other: originally deigned for medical equipment



## 7L CASE

External dims:(L\*W\*D): 305\*269\*147mm (12\*10.6\*5.8") Internal dims: (L\*W\*D): 278\*203\*115mm (10.9\*8\*4.5") Lid depth: 30mm (1.18") Bottom depth: 85mm (3.3") Material: TSU-1 Resin Weight: 1.5kg (3.3lbs) Waterproof: IP 67 Air valve: manual Wheels and retractable handle: No Other: professional protection for the valuable equipment



## **9L CASE**

External dims:(L\*W\*D): 305\*269\*195mm (12\*10.6\*7.7") Internal dims: (L\*W\*D): 281\*202\*165mm (11\*7.9\*6.5") Lid depth: 32mm (1.2") Bottom depth: 133mm (5.2") Material: TSU-1 Resin Weight: 2.45kg (5.4lbs) Waterproof: IP 67 Air valve: manual Wheels and retractable handle: No Other: military standard case for tough environments



#### 9.5L CASE

External dims:(L\*W\*D): 340\*310\*152mm (13.4\*12.2\*6") Internal dims: (L\*W\*D): 314\*243\*124mm (12.4\*9.6\*4.9") Lid depth: 26mm (1.0") Bottom depth: 98mm (3.9") Material: TSU-1 Resin Weight: 2.26kg (4.9lbs) Waterproof: IP 67 Air valve: manual Wheels and retractable handle: No Other: for photography, outdoor, military & defense



## **10L CASE**

External dims:(L\*W\*D): 286\*220\*263mm (11.3\*8.7\*10.4") Internal dims: (L\*W\*D): 265\*172\*213mm (10.4\*6.7\*8.4") Lid depth: 20mm (0.79") Bottom depth: 193mm (7.6") Material: TSU-1 Resin Weight: 1.8kg (3.96lbs) Waterproof: IP 67 Air valve: manual Wheels and retractable handle: No Other: a smart protective solution for delicate kit



## **12.5L CASE**

External dims:(L\*W\*D): 357\*293\*193mm (14\*11.5\*7.6") Internal dims: (L\*W\*D): 330\*231\*165mm (13\*9\*6.5") Lid depth: 43mm (1.7") Bottom depth: 122mm (4.8") Material: TSU-1 Resin Weight: 2.5kg (5.5lbs) Waterproof: IP 67 Air valve: manual Wheels and retractable handle: No Other: heavy duty military standard transport case



#### **15L CASE**

External dims:(L\*W\*D): 450\*350\*160mm (17.7\*13.8\*6.3") Internal dims: (L\*W\*D): 421\*292\*139mm (16.6\*11.5\*5.5") Lid depth: 40mm (1.6") Bottom depth: 99mm (3.9") Material: TSU-1 Resin Weight: 2.3kg (5.1lbs) Waterproof: IP 67 Air valve: manual Wheels and retractable handle: No Other: designed for protecting equipments & bicycle accessories



## 17.9L CASE

External dims:(L\*W\*D): 410\*342\*204mm (16.1\*13.5\*8") Internal dims: (L\*W\*D): 382\*271\*175mm(15\*10.7\*6.9") Lid depth: 44mm (1.7") Bottom depth: 131mm (5.2") Material: TSU-1 Resin Weight: 3.74kg (8.2lbs) Waterproof: IP 67 Air valve: manual Wheels and retractable handle: No Other: a smart protective solution for delicate kit



## **18.5L CASE**

External dims:(L\*W\*D): 479\*415\*150mm (18.9\*16.3\*5.9") Internal dims: (L\*W\*D): 446\*345\*121mm (17.6\*13.6\*4.8") Lid depth: 44mm (1.7") Bottom depth: 77mm (3.0") Material: TSU-1 Resin Weight: 4.12kg (9.1lbs) Waterproof: IP 67 Air valve: manual Wheels and retractable handle: No Other: perfect shockproof case to house cameras



#### **19L CASE**

External dims:(L\*W\*D): 355\*420\*198mm (14\*16.5\*7.8") Internal dims: (L\*W\*D): 331\*350\*164mm (13.1\*13.7\*6.5") Lid depth: 64mm (2.5") Bottom depth: 100mm (3.9") Material: TSU-1 Resin Weight: 3.57kg (7.9lbs) Waterproof: IP 67 Air valve: manual Wheels and retractable handle: No Other: fits fingerprint scanner, camera lens or medical suppies



## 21.5L CASE

External dims:(L\*W\*D): 410\*275\*295mm (16.1\*10.8\*11.6") Internal dims: (L\*W\*D): 385\*230\*242mm (15.2\*9.1\*9.5") Lid depth: 65mm (2.6") Bottom depth: 177mm (7.0") Material: TSU-1 Resin Weight: 3.2kg (7.04lbs) Waterproof: IP 67 Air valve: manual Wheels and retractable handle: No Other: high-vis designed for fire-fighting equipment



## 22L CASE

External dims:(L\*W\*D):479\*415\*170mm (18.9\*16.3\*6.7") Internal dims: (L\*W\*D):446\*345\*141mm (17.6\*13.6\*5.6") Lid depth: 64mm (2.5") Bottom depth: 77mm (3") Material: TSU-1 Resin Weight: 4.56kg (10.1lbs) Waterproof: IP 67 Air valve: manual Wheels and retractable handle: No Other: Password & fingerprint keypad



#### 24L CASE

External dims:(L\*W\*D): 550\*340\*200mm (21.6\*13.7\*7.8") Internal dims: (L\*W\*D): 520\*275\*166mm (20.5\*10.8\*6.5") Lid depth: 45mm (1.8") Bottom depth: 121mm (4.76") Material: TSU-1 Resin Weight: 4.5kg (9.9lbs) Waterproof: IP 67 Air valve: manual Wheels and retractable handle: No Other: suitable for camera accessories, lighting/sound systems



## 26.5L CASE

External dims: (L\*W\*D): 557\*348\*248mm (21.9\*13.4\*9.8") Internal dims: (L\*W\*D): 522\*275\*185mm (20.6\*10.8\*7.3") Lid depth: 45mm (1.8") Bottom depth: 140mm (5.5") Material: TSU-1 Resin Weight: 6.87kg (15.1lbs) Waterproof: IP 67 Air valve: manual Wheels and retractable handle: yes Other: protect sensitive equipment (camera/video gear)



## 28.5L CASE

External dims:(L\*W\*D): 479\*415\*217mm (18.9\*16.3\*8.5") Internal dims: (L\*W\*D): 446\*345\*186mm (17.6\*13.6\*7.3") Lid depth: 44mm (1.7") Bottom depth: 142mm (5.6") Material: TSU-1 Resin Weight: 4.9kg (10.8lbs) Waterproof: IP 67 Air valve: manual Wheels and retractable handle: no Other: designed for protecting equipment, electronic & drones



#### **35.5L CASE**

External dims:(L\*W\*D): 530\*435\*240mm (20.9\*17.1\*9.4") Internal dims: (L\*W\*D): 480\*370\*195mm (18.9\*14.6\*7.7") Lid depth: 35mm (1.4") Bottom depth: 160mm (6.3") Material: TSU-1 Resin Weight: 6.5kg (14.3lbs) Waterproof: IP 67 Air valve: manual Wheels and retractable handle: yes Other: widely used for UAV system, drones & Gopro equipment



## **46.5L CASE**

External dims:(L\*W\*D): 466\*390\*351mm (18.3\*15.4\*13.8") Internal dims: (L\*W\*D): 433\*330\*325mm (17.0\*13.0\*12.8") Lid depth: 45mm (1.8") Bottom depth: 280mm (11") Material: TSU-1 Resin Weight: 5.5kg (12.1lbs) Waterproof: IP 67 Air valve: manual Wheels and retractable handle: No Other: designed for protecting helmets and other equipment



## **49.5L CASE**

External dims:(L\*W\*D): 619\*491.5\*222.5mm (24.4\*19.4\*8.8") Internal dims: (L\*W\*D): 560\*432\*204mm (22.0\*17.0\*8.0") Lid depth: 50.5mm (2") Bottom depth: 153.5mm (6") Material: TSU-1 Resin Weight: 5.3kg (11.7lbs) Waterproof: IP 67 Air valve: manual Wheels and retractable handle: No Other: for transporting sensitive equipment



#### **54L CASE**

External dims:(L\*W\*D):1189\*405\*160mm (46.8\*15.9\*6.3") Internal dims: (L\*W\*D):1138\*351\*133mm (44.8\*13.8\*5.2") Lid depth: 40mm (1.57") Bottom depth: 93mm (3.66") Material: TSU-1 Resin Weight: 9.6kg (21.1lbs) Waterproof: yes Air valve: manual Wheels and retractable handle: yes Other: design to carry weapons



## **54.5L CASE**

External dims:(L\*W\*D): 610\*472\*285mm (24\*18.6\*11.2") Internal dims: (L\*W\*D): 540\*407\*248mm (21.3\*16.0\*9.8") Lid depth: 58mm (2.3") Bottom depth: 190mm (7.48") Material: TSU-1 Resin Weight: 9.2kg (20lbs) Waterproof: IP 67 Air valve: manual Wheels and retractable handle: yes Other: perfect for DJI Phantom 3 & 4



## 78L CASE

External dims:(L\*W\*D): 727\*657.6\*241mm (28.6\*25.9\*9.5") Internal dims: (L\*W\*D): 655\*595\*201mm (25.8\*23.4\*7.9") Lid depth: 31mm (1.2") Bottom depth: 170mm (6.7") Material: TSU-1 Resin Weight: 10.86kg (23.9lbs) Waterproof: IP 67 Air valve: manual Wheels and retractable handle: yes Other: carrying case for camera or other electronics



#### **84L CASE**

External dims:(L\*W\*D): 670\*508\*355mm (26.4\*20\*14") Internal dims: (L\*W\*D): 584\*440\*328mm (23\*17.3\*12.9") Lid depth: 55mm (2.16") Bottom depth: 273mm (10.75") Material: TSU-1 Resin Weight: 10.92kg (24lbs) Waterproof: IP 67 Air valve: manual Wheels and retractable handle: yes Other: for telecommunications systems & enrollment devices



## 113L CASE

External dims:(L\*W\*D): 830\*565\*325mm (32.7\*22.2\*12.8") Internal dims: (L\*W\*D): 762\*483\*297mm (30\*19\*11.7") Lid depth: 75mm (2.95") Bottom depth: 222mm (8.74") Material: TSU-1 Resin Weight: 13.9kg (30.58lbs) Waterproof: IP 67 Air valve: manual Wheels and retractable handle: yes Other: mobility transport case protects equipment on the move



## 154L CASE

External dims:(L\*W\*D): 830\*565\*429mm (32.6\*22.2\*16.9") Internal dims: (L\*W\*D): 763\*483\*402mm (30\*19\*15.8") Lid depth: 76mm (2.99") Bottom depth: 326mm (12.8") Material: TSU-1 Resin Weight: 15.4kg (33.8lbs) Waterproof: IP 67 Air valve: manual Wheels and retractable handle: yes Other: widely used by the military for weapons, firearms & guns

## Bespoke Cases Specially designed to protect your kit

## WE OFFER BESPOKE SOLUTIONS TO MEET YOUR REQUIREMENTS...

Northern Diver offers a complete customisation service, we have a professional team of engineers with years of experience managing complex projects, from design to final product, we are here to help. Injection moulded cases can withstand the strains of floodwaters and can even be submerged and keep all valuable devices safe and dry.



#### **Custom Designed Cases**







Cases protect your delicate equipment from the most extreme and hazardous conditions. Shock proof, dust proof, waterproof, un-crushable, anti-chemical corrosion, high temperature resistance. We can accept your own design, or we can work with you to create the design for you all according to your budget and requirements.

#### Case type

Which case do you need? Our expert team would guide you to make the correct decision.

#### **Interior protection**

We can customise the foam inserts to provide maximum protection to your equipment.

#### Design

We can accept your own design, or our qualified engineers can assist with your project. We can produce CAD drawings, product samples and offer you a complete peace of mind.

## **Other details**

Lid stays, purge valves, custom logos. Our mission is to offer you a high-quality product that will keep your equipment safe!

## CONTACT US TO DISCUSS YOUR BESPOKE CASE REQUIREMENTS!

# Lightweight Series Waterproof Hard Cases

Manfactured successfully to implement innovative structural design and patented materials to achieve a heavy-duty case with a lighter weight that still has all the same benefits as the other cases. A range of Robust, Airtight, IP67, Dustproof protective cases ideal for outdoor military use and extreme conditions.



## **10L CASE**

External dims:(L\*W\*D): 420\*370\*100mm (16.5\*14.5\*3.9") Internal dims: (L\*W\*D): 392\*310\*85mm (15.4\*12.2\*3.3") Lid depth: 32mm (1.3") Bottom depth: 53mm (2.1") Material: TSU-19 Resin Weight: 1.95kg (4.29lbs) Waterproof: IP 67 Air valve: manual Wheels and retractable handle: no Other: protection for storage/transport of valuable equipment



## 11L CASE

External dims:(L\*W\*D): 480\*235\*200mm (18.9\*9.25\*7.9") Internal dims: (L\*W\*D): 430\*160\*160mm (16.9\*6.3\*6.3") Lid depth: 32mm (1.26") Bottom depth: 128mm (5.04") Material: TSU-19 Resin Weight: 2.45kg (5.4lbs) Waterproof: IP 67 Air valve: automatic Wheels and retractable handle: no Other: for telescope, night-vision & other instruments

#### **Lightweight Series**



#### **20L CASE**

External dims:(L\*W\*D): 462\*356\*175mm (18.2\*14.0\*6.9") Internal dims: (L\*W\*D): 432\*297\*157mm (17.0\*11.7\*6.2") Lid depth: 48mm (1.9") Bottom depth: 109mm (4.3") Material: TSU-19 Resin Weight: 2.3kg (2.06lbs) Waterproof: IP 67 Air valve: manual Wheels and retractable handle: no Other: for transport of sensitive equipment



## 27.5L CASE

External dims:(L\*W\*D): 500\*410\*270mm (19.7\*16.1\*10.6") Internal dims: (L\*W\*D): 470\*325\*180mm (18.5\*12.8\*7.1") Lid depth: 35mm (1.38") Bottom depth: 145mm (5.71") Material: TSU-19 Resin Weight: 4.48kg (9.8lbs) Waterproof: IP 67 Air valve: manual Wheels and retractable handle: yes Other: specially designed for DJI3, DJI4 & drones



## **31L CASE**

External dims:(L\*W\*D): 491\*435\*211mm (19.3\*17.1\*8.3") Internal dims: (L\*W\*D): 463\*372\*182mm (18.2\*14.6\*7.2") Lid depth: 40mm (1.6") Bottom depth: 142mm (5.6") Material: TSU-19 Resin Weight: 3.66kg (8.0lbs) Waterproof: IP 67 Air valve: manual Wheels and retractable handle: no Other: waterproof housing for equipment protection

#### **Lightweight Series**



#### **33L CASE**

External dims:(L\*W\*D): 545\*345\*225mm (21.5\*13.6\*8.9") Internal dims: (L\*W\*D): 530\*310\*200mm (20.9\*12.2\*7.9") Lid depth: 40mm (1.6") Bottom depth: 160mm (6.3") Material: TSU-19 Resin Weight: 5.75kg (12.6lbs) Waterproof: IP 67 Air valve: manual Wheels and retractable handle: yes Other: for protecting cameras or other electronics



## 92L CASE

External dims:(L\*W\*D): 797\*518\*313mm (31.4\*20.4\*12.3") Internal dims: (L\*W\*D): 737×457×273mm (29.0\*18.0\*10.7") Lid depth: 47mm (1.85") Bottom depth: 226mm (8.89") Material: TSU-19 Resin Weight: 11.5kg (25.35lbs) Waterproof: IP 67 Air valve: manual Wheels and retractable handle: yes Other: military standard for sensitive instruments



#### 203L CASE

External dims:(L\*W\*D): 847\*722\*432mm (33.4\*28.4\*17.0") Internal dims: (L\*W\*D): 786\*661\*391mm (30.9\*26.0\*15.4") Lid depth: 90mm (3.54") Bottom depth: 300mm (11.8") Material: TSU-19 Resin Weight: 15kg (33.1lbs) Waterproof: IP 67 Air valve: manual Wheels and retractable handle: yes Other: for DJI Inspire II, military & transportation

## **Can't See What Your Looking For?**

Additional styles are being continuously added to the range so if you require another size or colour combination please contact our sales team and we will work to source it for you.

+44 (0) 1257 25 44 44 info@ndiver.com





## Office

Northern Diver International Ltd East Quarry, Appley Lane North, Appley Bridge, Wigan, WN6 9AE, UK

## Contact

Craig McColl Phone: +44 (0) 1257 25 69 34 Mobile: +44 (0) 7854 252 013 Email: craig@ndiver.com

Dan Cottrell Phone: +44 (0) 1257 25 69 41 Mobile: +44 (0) 7961 289 728 Email: dan@ndiver.com

Matt Burrows Phone: +44 (0) 1257 25 69 43 Mobile: +44 (0) 7703 298 234 Email: matthewb@ndiver.com

Website www.ndiver-rescue.com